

Select Spectrum, LLC
543 Sequatchie Industrial Park Rd
Dunlap, TN 37327
brian@selectspectrummfg.com
423-509-2696

Sample: 08-18-2023-37299

Sample Received: 08/18/2023;
Report Created: 08/23/2023; Expires: 08/22/2024

Cocoa Mint 5834
Ingestible, Chocolate



0.218 %
Total THC

0.218 %
 Δ -9 THC

109.831 mg/unit
Total Cannabinoids

ND mg/unit
Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)
Date Tested: 08/18/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ -8-Tetrahydrocannabinol (Δ -8 THC)	4.985	7.453	ND	ND	ND	
Δ -9-Tetrahydrocannabinol (Δ -9 THC)	4.985	7.453	109.831	2.181	0.218	
Δ -9-Tetrahydrocannabinolic Acid (THCA-A)	4.985	7.453	ND	ND	ND	
Δ -9-Tetrahydrocannabiphlorol (Δ -9-THCP)	4.985	7.453	ND	ND	ND	
Δ -9-Tetrahydrocannabivarin (Δ -9-THCV)	4.985	7.453	ND	ND	ND	
Δ -9-Tetrahydrocannabivarinic Acid (Δ -9-THCVA)	4.985	7.453	ND	ND	ND	
R- Δ -10-Tetrahydrocannabinol (R- Δ -10-THC)	4.985	7.453	ND	ND	ND	
S- Δ -10-Tetrahydrocannabinol (S- Δ -10-THC)	4.985	7.453	ND	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	4.985	7.453	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	4.985	7.453	ND	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	4.985	7.453	ND	ND	ND	
Cannabidiol (CBD)	4.985	7.453	ND	ND	ND	
Cannabidiolic Acid (CBDA)	4.985	7.453	ND	ND	ND	
Cannabigerol (CBG)	4.985	7.453	ND	ND	ND	
Cannabigerolic Acid (CBGA)	4.985	7.453	ND	ND	ND	
Cannabinol (CBN)	4.985	7.453	ND	ND	ND	
Cannabinolic Acid (CBNA)	4.985	7.453	ND	ND	ND	
Cannabichromene (CBC)	4.985	7.453	ND	ND	ND	
Cannabichromenic Acid (CBCA)	4.985	7.453	ND	ND	ND	
Total			109.831	2.181	0.218	

Total THC = THCA * 0.877 + Δ -9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: \pm 0.050%
Total CBD Measurement of Uncertainty: \pm 2.000%
THCO potency analysis does not designate quantitative specificity of Δ -8-THCO and Δ -9-THCO isomers

Unit Size: 50.358 g Unit: 1 Chocolate Bar



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com