

Certificate of Analysis

Snapdragon Hemp

6210 Ringgold Rd East Ridge, TN 37412 snapdragonhemp@gmail.com 423-847-5272 Sample: 03-27-2025-60936

Sample Received:03/27/2025;

Report Created: 03/28/2025; Expires: 03/28/2026

Canna Bliss Strawberry Limeade

Ingestible, Beverage



THE SCAN CONTROL OF THE STANDARD CONTROL OF THE STANDA

0.007%

Total THC

0.007%

 Δ -9 THC

26.144 mg/unit
Total Cannabinoids

ND mg/unit Total CBD

Cannabinoids with Density

(Testing Method:HPLC, CON-P-3000) Date Tested: 03/27/2025 Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	1.060	1.413	ND	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	1.060	1.413	26.144	0.074	0.007	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	1.060	1.413	ND	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9 THCP)	1.060	1.413	ND	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9 THCV)	1.060	1.413	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9 THCVA)	1.060	1.413	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	1.060	1.413	ND	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	1.060	1.413	ND	ND	ND	
PR-Hexahydrocannabinol (9R-HHC)	1.060	1.413	ND	ND	ND	
PS-Hexahydrocannabinol (9S-HHC)	1.060	1.413	ND	ND	ND	
Cannabidivarin (CBDV)	1.060	1.413	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.060	1.413	ND	ND	ND	
Cannabidiol (CBD)	1.060	1.413	ND	ND	ND	
Cannabidiolic Acid (CBDA)	1.060	1.413	ND	ND	ND	
Cannabigerol (CBG)	1.060	1.413	ND	ND	ND	
Cannabigerolic Acid (CBGA)	1.060	1.413	ND	ND	ND	
Cannabinol (CBN)	1.060	1.413	ND	ND	ND	
Cannabinolic Acid (CBNA)	1.060	1.413	ND	ND	ND	
Cannabichromene (CBC)	1.060	1.413	ND	ND	ND	
Cannabichromenic Acid (CBCA)	1.060	1.413	ND	ND	ND	
Total			26.144	0.074	0.007	



Total THC Measurement of Uncertainty: ± 0.040% Total CBD Measurement of Uncertainty: ± 2.000%

> New Bloom Labs 6121 Heritage Park Drive, A500 Chattanooga, TN 37416 (844) 837-8223 TN DEA#: RN0563975 ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

ashley N Phillips

Ashley N. Phillips, M. Sc Laboratory Director Powered by reLIMS info@relims.com

Sample Density: 0.998 g/mL; Unit Size: 353.292 g Unit: 12 floz container

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs.