

Doobie Blast 30mg

Sample ID: 2604NBL0629.1671

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 04/06/2026

Completed: 04/14/2026

Expires: 04/14/2027

External Lot ID:

Batch#: 0404-M6524

Client

Riverside Collective

Lic. # USDA_37_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com



Summary

Test	Date Tested	Result
Cannabinoids	04/06/2026	Complete
Residual Solvents	04/10/2026	Complete
Microbials	04/09/2026	Complete
Mycotoxins	04/11/2026	Complete
Pesticides	04/11/2026	Complete
Heavy Metals	04/14/2026	Complete
Foreign Matter	04/06/2026	Not Detected

Cannabinoids

Complete

33.562 mg/unit Total THC	0.0091% Δ9-THC	ND Total CBD	33.562 mg/unit Total Cannabinoids
------------------------------------	--------------------------	------------------------	---

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9257	1.389	ND	ND	ND
9R-HHC	0.9257	1.389	ND	ND	ND
(6aR,9S)-d10-THC	0.9257	1.389	ND	ND	ND
9S-HHC	0.9257	1.389	ND	ND	ND
CBC	0.9257	1.389	ND	ND	ND
CBCa	0.9257	1.389	ND	ND	ND
CBD	0.9257	1.389	ND	ND	ND
CBDa	0.9257	1.389	ND	ND	ND
CBDV	0.9257	1.389	ND	ND	ND
CBDVa	0.9257	1.389	ND	ND	ND
CBG	0.9257	1.389	ND	ND	ND
CBGa	0.9257	1.389	ND	ND	ND
CBN	0.9257	1.389	ND	ND	ND
CBNa	0.9257	1.389	ND	ND	ND
Δ8-THC	0.9257	1.389	ND	ND	ND
Δ9-THC	0.9257	1.389	33.562	0.09481	0.009
THCa	0.9257	1.389	ND	ND	ND
THCp	0.9257	1.389	ND	ND	ND
THCv	0.9257	1.389	ND	ND	ND
THCVa	0.9257	1.389	ND	ND	ND
Total THC			33.562	0.09481	0.009
Total CBD			ND	ND	ND
Total			33.562	0.09481	0.009

Date Tested: 04/06/2026

Density: 1 mL = 1.046 g, Unit Mass: 370.284 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley Phillips

Ashley Phillips
Laboratory Director
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



Doobie Blast 30mg

Sample ID: 2604NBL0629.1671

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 04/06/2026

Completed: 04/14/2026

Expires: 04/14/2027

External Lot ID:

Batch#: 0404-M6524

Client

Riverside Collective

Lic. # USDA_37_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested	Fludioxonil	0.099	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested	Hexythiazox	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested	Imazalil	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested	Imidacloprid	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested	Kresoxim Methyl	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested	Malathion	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested	Metalaxyl	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested	Methiocarb	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested	Methomyl	0.099	0.030		ND	Tested
Captan	0.693	0.208		ND	Tested	Mevinphos	0.099	0.030		ND	Tested
Carbaryl	0.099	0.030		ND	Tested	Myclobutanil	0.099	0.030		ND	Tested
Carbofuran	0.099	0.030		ND	Tested	Naled	0.248	0.075		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested	Oxamyl	0.099	0.030		ND	Tested
Chlorfenapyr	0.079	0.030		ND	Tested	Paclbutrazol	0.099	0.030		ND	Tested
Chloromequat	0.099	0.030		ND	Tested	Methyl Parathion	0.079	0.030		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested	Pentachloronitrobenzene	0.079	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested	Permethrins	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested	Phosmet	0.099	0.030		ND	Tested
Cyfluthrin	0.495	0.149		ND	Tested	Piperonyl Butoxide	0.099	0.030		ND	Tested
Cypermethrin	0.495	0.149		ND	Tested	Prallethrin	0.099	0.030		ND	Tested
Daminozide	0.990	0.297		ND	Tested	Propiconazole	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested	Propoxur	0.099	0.030		ND	Tested
Dichlorvos	0.050	0.016		ND	Tested	Pyrethrins	0.495	0.149		ND	Tested
Dimethoate	0.099	0.030		ND	Tested	Pyridaben	0.099	0.030		ND	Tested
Dimethomorph	0.095	0.030		ND	Tested	Spinetoram	0.099	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested	Spinosad	0.101	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested	Spiromesifen	0.099	0.030		ND	Tested
Etoxazole	0.099	0.030		ND	Tested	Spirotetramat	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested	Spiroxamine	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested	Tebuconazole	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested	Thiacloprid	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested	Thiamethoxam	0.099	0.030		ND	Tested
Fonicamid	0.099	0.030		ND	Tested	Trifloxystrobin	0.099	0.030		ND	Tested

Date Tested: 04/11/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



Doobie Blast 30mg

Sample ID: 2604NBL0629.1671

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 04/06/2026

Completed: 04/14/2026

Expires: 04/14/2027

External Lot ID:

Batch#: 0404-M6524

Client

Riverside Collective

Lic. # USDA_37_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 04/09/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 04/11/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.244		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 04/14/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley Phillips

Ashley Phillips
Laboratory Director
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Doobie Blast 30mg

Sample ID: 2604NBL0629.1671

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 04/06/2026

Completed: 04/14/2026

Expires: 04/14/2027

External Lot ID:

Batch#: 0404-M6524

Client

Riverside Collective

Lic. # USDA_37_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	64.655	215.517		ND	Tested
Benzene	0.259	0.862		ND	Tested
n-Butane	59.483	198.276		ND	Tested
Isobutane	59.483	198.276		ND	Tested
Ethanol	64.655	215.517		<LOQ	Tested
Ethyl Acetate	64.655	215.517		ND	Tested
Heptane	64.655	215.517		ND	Tested
n-Hexane	1.293	4.310		ND	Tested
2,2-Dimethylbutane	1.293	4.310		ND	Tested
3-Methylpentane	1.293	4.310		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.586	8.621		ND	Tested
Methanol	25.862	86.207		ND	Tested
Isopentane	59.483	198.276		ND	Tested
n-Pentane	25.862	86.207		ND	Tested
Neopentane	59.483	198.276		ND	Tested
2-Propanol	64.655	215.517		ND	Tested
Propane	258.621	862.069		ND	Tested
Toluene	0.129	0.431		ND	Tested
Ethylbenzene	0.129	0.431		ND	Tested
m/p-Xylene	0.129	0.431		ND	Tested
o-Xylene	0.129	0.431		ND	Tested
1,1-Dichloroethene	0.517	1.724		ND	Tested
1,2-Dichloroethane	0.517	1.724		ND	Tested
Ethylene Oxide	1.293	4.310		ND	Tested
Acetonitrile	5.172	17.241		ND	Tested
Chloroform	0.517	1.724		ND	Tested
Ethyl Ether	64.655	215.517		ND	Tested
Dichloromethane	25.862	86.207		ND	Tested
Trichloroethene	5.172	17.241		ND	Tested
2,3-Butanedione	25.862	86.207		ND	Tested

Date Tested: 04/10/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.